

neo
C-METRO

Designer choices

Schneider
Electric



neo
C-METRO




Clipsal's NEO C-Metro has always been a rich source of inspiration for discriminating individuals who enjoy modern metropolitan living at its stylish best. The Series breaks away from tradition by incorporating horizontal dolly flushes in its hallmark sleek and streamlined design. Always at the very forefront of technological advancement, Clipsal was the first to successfully deploy LEDs in mechanical switches. As a result, our innovative products remain totally in tune with those who wish to stay several steps ahead of new styles and trends.



World-Renowned Design Innovations!

The new NEO C-Metro shares its *avant garde* design with the internationally acclaimed NEO Intelligent Switch that won the coveted AEEMA (Australian Electrical & Electronic Manufacturer Association) Design Award and is a member of the design-registered NEO family of products.

Pioneer of the World's LED Mechanical Switch



White LED



Blue LED

The first in the market to deploy LEDs in mechanical switches, Clipsal has built up a proven track record of technological breakthroughs that is simply second to none. The irresistibly enticing soft white and blue LED glows provided by the NEO C-Metro Series are the most luxurious of any now currently available LED product. Such a high level of sophistication is just the tip of the creative iceberg when it comes to Clipsal's total mastery of illuminated switch systems.

Improved Structure Ensures Easier Installation



- Transparent polycarbonate housing enables easy viewing of mechanical functions
- Durable web-grid increases rigidity of plate
- Double thickness mounting hole prevents risk of damage during installation
- Oval-shaped mounting hole ensures easy fixing level adjustment

Quality and Safety That's Built To Last

- Bullet-proof material face plate is less flammable, more shock resistant and provides outstanding insulation
- Spray-painted, silver coloured polyurethane coating ensures surrounds stay looking factory-fresh
- A smooth, silver spot-welded contact and silver-brass alloy bridge coupled with a robust spring puncher design ensure quicker contact making/breaking and significantly reduce arc generation
- Reinforced-nylon protective socket shutter prevents electric shocks caused by accidental insertion of conductive objects
- Seamless conductor bridge significantly reduces heat generation
- Switch operations are tested fully 80,000 cycles - double the international standard. All sockets can be plugged in and removed over 10,000 times and are designed to last more than a decade
- Fully compliant with IEC safety standards

Stylish Choices For Truly Metropolitan Lifestyles



Inspired by the award-winning Clipsal NEO Intelligent Switch, NEO C-Metro represents the ideal marriage of “form and function”.

The switches’ striking grey-silver face plates offer a distinctive visual style that is sure to enhance the most fashionable modern, metropolitan interior.

The Series also offers elegantly understated white face plates that will appeal to the discriminating tastes of sophisticated urban purists.

With its matte surface and subtly contrasting glossy surround, the NEO C-Metro Series will enliven its surroundings with an incredibly richly textured, multi-dimensional detail.

The use of white fluorescent indicators in the NEO C-Metro Series is yet another first for Clipsal. Incorporating a white-on-white design, the fluorescent indicators seamlessly integrate with the white gloss and matte face plates.

Unobtrusive during the day, the indicators bathe the switches in an irresistible soft luminescent glow when darkness falls. Effortlessly blending both elegance and practicality, the NEO C-Metro Series is another example of Clipsal’s unrivalled understanding of “form and function”.



White fluorescent indicators seamlessly integrate with the white gloss and matte face plates while they bathe the switch in a soft luminescent glow at dark







E3031H1 EBGS
E3031H2 EBGS

E3032H1 EWWW
E3032H2 EWWW

E3033H1 EBGS
E3033H2 EBGS

E3034 EBGS

E3034H1 EWWW
E3034H2 EWWW

E3031HBP GS



E3031V1 EWWW
E3031V2 EWWW

E3032V1 EBGS
E3032V2 EBGS

E3033V1 EWWW
E3033V2 EWWW

E3031VBP GS



E3031V1 FGGS
E3031V2 FGGS

E3032V1 FWWW
E3032V2 FWWW

E3031 V1 EWWW
E3031 V2 EWWW



E3031HD EWWW

E3031HD EBGS

E3032HD EWWW

E3032HD EBGS



E3031HD20 EWWW

E3031HD20 EBGS

E3031DR32 EBGS

E3031DR32 EWWW



EH3015/6

EH3015/16/6

E3426/10 IS

E3015/15

E3015 US

ET3025D EWWW

E3426 GS

E3015 WW

E3015D EBGS



ET3030X GS

E3030X WW

E3031 TB GS



E3031 TV GS

E3032TV WW

E3031RJ WW

E3032RJ GS

E3031RJ5E WW

E3032TD GS



ET3727V WW

E3031EKTH WW

E3032HDM GS

E3030VDM WW

E3031VBPD GS

E3031VBPM WW

E3031VBPDM GS



Product Number	Product Description	Colour and Indicator Options #				
----------------	---------------------	--------------------------------	--	--	--	--

Flush Switches		EWWW	FWWW	WW	EBGS	GS
----------------	--	------	------	----	------	----

E3031H1	1-Gang 1-Way Horizontal Dolly Switch	.	.		.	
E3031H2	1-Gang 2-Way Horizontal Dolly Switch	.	.		.	
E3032H1	2-Gang 1-Way Horizontal Dolly Switch	.	.		.	
E3032H2	2-Gang 2-Way Horizontal Dolly Switch	.	.		.	
E3033H1	3-Gang 1-Way Horizontal Dolly Switch	.	.		.	
E3033H2	3-Gang 2-Way Horizontal Dolly Switch	.	.		.	
E3034H1	4-Gang 1-Way Horizontal Dolly Switch	.	.		.	
E3034H2	4-Gang 2-Way Horizontal Dolly Switch	.	.		.	
E3031HBP	4A 1-Way Horizontal Bell Push Switch			.		.
E3031V1	1-Gang 1-Way Vertical Dolly Switch	.	.		.	
E3031V2	1-Gang 2-Way Vertical Dolly Switch	.	.		.	
E3032V1	2-Gang 1-Way Vertical Dolly Switch	.	.		.	
E3032V2	2-Gang 2-Way Vertical Dolly Switch	.	.		.	
E3033V1	3-Gang 1-Way Vertical Dolly Switch	.	.		.	
E3033V2	3-Gang 2-Way Vertical Dolly Switch	.	.		.	
E3031VBP	4A 1-Way Vertical Bell Push Switch			.		.

Dimming Switches		EWWW	FWWW	WW	EBGS	GS
------------------	--	------	------	----	------	----

E3031HD	600W 1-Gang Horizontal Dimming Switch	.			.	
E3032HD	400W 2-Gang Horizontal Dimming Switch	.			.	

Double Pole Switches		EWWW	FWWW	WW	EBGS	GS
----------------------	--	------	------	----	------	----

E3031HD20	20A Horizontal Dolly Double Pole Switch	.			.	
E3031DR32	32A Double Pole Switch	.			.	

Flush Socket Outlets		EWWW	FWWW	WW	EBGS	GS
----------------------	--	------	------	----	------	----

EH3015/6	6A 3 Pin Universal Switch Socket			.		.
EH3015/16/6	6-16A 3 Pin Universal Switch Socket			.		.
E3426	13A Flat 3 Pin Socket Outlet			.		.
E3015	13A Flat 3 Pin Switch Socket Outlet			.		.
E3015D	13A Flat 3 Pin Switched Socket Outlet with LED	.		.		.
ET3025	13A Flat Twin 3 Pin Switched Socket Outlet			.		.
ET3025D	13A Flat 3 Pin Switched Socket Outlet with LED	
E3426/10IS	10A International Socket			.		.
E3015/15	15A 1gang Switched Socket Outlet	.		.		.
E3015US	10A 1gang 2 pin Switch Socket Outlet			.		.
E3426US	10A 1gang 2 pin Socket Outlet			.		.

Connection Units & Flush Plates		EWWW	FWWW	WW	EBGS	GS
---------------------------------	--	------	------	----	------	----

E3031TB	25A Connection Unit			.		.
E3030X	1-Gang Blank Plate			.		.
ET3030X	2-Gang Blank Plate			.		.

Telecommunication Accessories		EWWW	FWWW	WW	EBGS	GS
-------------------------------	--	------	------	----	------	----

E3031TV	1-Gang TV Socket Outlet			.		.
E3032VTV	2-Gang Vertical TV Socket Outlet			.		.
E3031RJ	1-Gang RJ11 4 Pin Telephone Outlet			.		.
E3032RJ	2-Gang RJ11 4 Pin Telephone Outlet			.		.
E3031RJ5E	1-Gang RJ45 8 Pin Data Outlet			.		.
E3032TD	Dual Telecommunication Outlets (Tel. RJ11 + Data RJ45)			.		.

Hotel Accessories		EWWW	FWWW	WW	EBGS	GS
-------------------	--	------	------	----	------	----

E3031EKTH	Electronic Key Card Switch with Indicator			.		.
E3032HDM	10AX "Do Not Disturb" & "Please Clean Up" Control Switch with Illuminated Symbol			.		.
E3030VDM	Illuminated "Do Not Disturb" & "Please Clean Up" Symbols			.		.
E3031VBPD	4A Bell Push Switch with Illuminated "Do Not Disturb" Symbol			.		.
E3031VBPM	4A Bell Push Switch with Illuminated "Please Clean Up" Symbol			.		.
E3031VBPDM	4A Bell Push Switch with Illuminated "Do Not Disturb" & "Please Clean Up" Symbols			.		.
ET3727V	Shaver Unit 115/240V			.		.


Fan Regulator		EWWW	FWWW	WW	EBGS	GS
---------------	--	------	------	----	------	----

* Please Contact Local Sales Person for Details

EBGS Grey Silver Switch with Blue LED
EWWW White Switch with White LED

FWWW White Switch with White Fluorescent Indicator

GS Grey Silver
WW White



For more information visit our website at: www.schneider-electric.co.in

Schneider Electric India Pvt. Ltd. (A 100% subsidiary of Schneider Electric Industries SAS)

Corporate office : A-29, Mohan Co-operative Industrial Estate, New Delhi-110044. Tel: 011-39404000. Fax: 41678010/11

Customer Care Centre: Toll Free: 1800 111 341 (BSNL/MTNL), 1800 103 0011 (Airtel)

Phone: +91 11 4168 2434/35, email: in-care@in.schneider-electric.com